

## **GYMNASIUM SPORTS-FLOOR**

**DOCUMENT NUMBER: 09642** 

APPLICATION: MIDDLE AND HIGH SCHOOL

DATE OF ISSUE: 10/14/2023

## 1) WOOD SPORTS-FLOOR SYSTEM

- a) Flooring shall be northern hard maple strips, 27/32" x 2¼", third grade, tongued, grooved and end matched, over ½" resilient, grooved underlayment and zinc coated steel channels anchored to concrete floor slab.
- b) Acceptable systems shall be limited to:
  - i) "Locktite" as manufactured by Robbins Sports
    Surfaces ii) "ActionLoc" as manufactured by Action Floor
    Systems iii) "AacerLoc" as manufactured by Aacer Flooring
- c) Provide accessories including, but not limited to, vapor barrier, channels, clips, and fasteners as recommended by the flooring manufacturer.
- d) Flooring shall be sanded and receive one initial coat of sealer/finish. Paint gamelines, field markings and emblems as indicated on the attached Gymnasium Floor Striping Plan. Then apply a minimum of two additional coats of sealer/finish. Sealer/finish shall be Huntington brand "Triple X", as manufactured by EcoLab, Inc.

Note that **no substitutions** are allowed to the manufacturers and products listed above.

## **ATTACHMENTS:**

Gymnasium Floor Striping Plans, subject to compliance with current Florida High School Athletic Association regulations.



